

**Delivered Weight Data
& Equipment List****Model SR20**

Serial Number: 2427
Registration Number: N683RD
Basic Empty Weight: 2179
Total Moment/1000: 308.400
Center of Gravity: 141.53

The following pages list required, standard, and optional equipment, as well as gives the weight and arm of each listed item. This listing represents the airplane and all options available at the time of delivery and does not include any equipment installed after delivery.

Note:

Not all optional equipment in this listing was installed in the above serial number airplane. Equipment listed as optional but not installed in the airplane is indicated by a hyphen (-) in the quantity column for that piece of equipment.

ATA - Item:

Each item in the listing is provided a unique number. The first two digits of the number represent the ATA or GAMA Chapter reference number. These numbers are used industry wide and in the Cirrus Design SR20 Maintenance Documentation to locate items in the Maintenance Manuals and or Parts Catalogs. The two digits following the hyphen are sequence numbers for each item in that chapter.

Description:

This is the component, assembly, or installation name.

Sym:

Items in this listing are coded by a symbol indicating the status of the item. These codes are:

C Required item for FAA Certification.

S Standard equipment. Most standard equipment is applicable to all airplanes. Some equipment may be replaced by optional equipment.

O Optional equipment. Optional equipment may be installed in addition to or to replace standard equipment.

Qty:

The quantity of the listed item in the airplane. A hyphen (-) in this column indicates that the equipment was not installed

Part Number

This is the Cirrus Design Part Number for the component, assembly, or installation

Unit Wt

The weight, in pounds, of one each of the listed item.

Arm

The arm, in inches, of the listed item.

ATA / Item	Description	Sym	Qty	Part Number	Unit Wt	Arm
21	Air Conditioning					
21-01	Blower Fan	O	-	20970-xxx	7.3	133.0
21-02	Compressor Assembly	O	1	29124-xxx	15.0	93.1
21-03	Condenser Assembly	O	1	21209-xxx	17.0	132.8
21-04	Evaporator Assembly	O	1	21114-xxx	17.5	199.5
22	AutoFlight					
22-01	Garmin Autopilot Controller, GMC 707	O	1	30128-xxx	0.6	126.5
23	Communications					
23-01	GMA350/C Audio Panel	O	1	29396-xxx	1.6	125.8
24	Electrical					
24-01	Convenience System Controller	O	-	36517-xxx	0.7	179.2
25	Equipment & Furnishings					
25-01	Fwd Seat & Restraint Inst. (Leather: add 0.4 lb each)	C	2	31981-xxx	27.0	149.3

ATA / Item	Description	Sym	Qty	Part Number	Unit Wt	Arm
25-02	Rear Seat Installation (Leather: add 0.4 lb each)	C	-	29492-xxx	21.8	180.0
25-03	Rear Seat Restraint	C	-	12491-xxx	2.3	180.0
25-04	Rear bench seat Installation (Leather: add 0.8 lb)	C	1	31986, 31985, 31983	26.9	183.0
25-05	Rear Seat Restraint 3 point - 2 seat belt	C	-	29405-xxx	3.3	200.0
25-06	Rear Seat Restraint 3 point - 3 seat belt	C	1	29405-xxx	5.1	200.0
26	Fire Protection					
26-01	Portable Fire Extinguisher	C	1	12533-xxx	2.5	118.4
33	Lights					
33-01	Landing Light Installation	S	1	18983-xxx	1.9	80.0
34	Navigation & Pitot Static					
34-01	Garmin 10" Display	O	1	36739-xxx	4.5	118.5
34-02	Garmin 10" Display	C	1	36739-xxx	4.5	117.0
34-03	Garmin 12" Display	O	-	36739-xxx	5.8	118.5
34-04	Garmin 12" Display	C	-	36739-xxx	5.8	117.0
34-05	Altimeter	C	1	12102-xxx	1.1	116.1
34-06	Airspeed Indicator	C	1	12105-xxx	0.7	116.9
34-07	Magnetic Compass	C	1	12451-xxx	0.3	132.7
34-08	Marker Beacon Antenna	S	1	12743-xxx	0.6	200.0
34-09	Transponder Antenna	S	1	12739-xxx	0.1	105.0
34-10	GPS/NAV/COM#1 GIA63W	S	1	24662-xxx	6.3	110.5
34-11	GPS/NAV/COM#2 GIA63W	S	1	24662-xxx	6.3	111.0
34-12	ADAHRS GSU 75	O	2	36741-xxx	1.4	112.4
34-13	CO Detector	O	1	24660-xxx	0.2	104.0
34-14	FMS Keyboard, GCU 479 Controller	S	1	36749-xxx	0.6	124.0
34-15	DME (KNA61)	O	-	24658-xxx	2.8	122.0
34-16	DME Antenna (KA61)	O	-	24658-xxx	0.2	114.5
34-17	GPS 1 Antenna	C	1	12744-xxx	0.4	136.2
34-18	GPS 2 Antenna/Iridium Combo Antenna	S	1	29301-xxx	0.4	200.0
34-19	COM 1 Antenna	S	1	12740-xxx	0.5	178.5
34-20	COM 2 Antenna	O	1	12741-xxx	0.5	204.6
34-21	MD302 (Standby Attitude Module)	C	-	30499-xxx	1.5	116.1
	Engine Monitoring					
34-22	Rack/Unit Installation, GEA 71	O	1	24661-xxx	2.2	111.5
	Traffic Option					
34-23	Garmin Traffic GTS 800	O	1	26659-xxx	9.9	139.0
34-24	Antenna, Monopole	O	1	26656-xxx	0.2	180.0
34-25	Antenna, Directional, GA 58	O	1	26659-xxx	0.8	157.2
	Weather Option					
34-26	Stormscope Processor	O	-	12745-xxx	1.7	199.0
34-27	Stormscope Antenna	O	-	12745-xxx	0.9	191.0
34-28	GSR 56 Iridium Satellite Receiver	O	-	29307-xxx	4.2	231.1
	Transponder Option					
34-29	GTX345 Mode S UAT Transponder	O	1	36745-xxx	3.1	121.0
34-30	GTX 335 Mode S w/ES Transponder	O	-	36745-xxx	2.8	121.0
	XM Satellite Options					
34-31	XM WX / Radio Receiver	O	1	24657-xxx	2.7	230.3
61	Propeller					
61-01	Propeller Governor	C	1	15524-xxx	2.9	61.7
61-02	3-Blade Propeller, Metal	C	1	35191-xxx	80.7	51.6
61-03	3-Blade Propeller, Composite	O	-	35191-xxx	51.2	51.6
72	Engine					
72-01	Tanis Engine Pre-heater	O	1	25030-xxx	2.1	61.0
95	Special Equipment					
95-01	Enhanced Vision System	O	-	24737-xxx	1.2	161.0

Weight and Balance Loading Form

• Note •

For Center of Gravity Envelope, refer to Section 2, Limitations.

The Takeoff Condition Weight must not exceed 3150 lb.

The Takeoff Condition Moment must be within the Minimum Moment to Maximum Moment range at the Takeoff Condition Weight. (Refer to *Moment Limits*).

Serial Num: _____ Date: _____


Reg. Num: _____ Initials: _____

Item	Description	Weight LB	Moment/ 1000
1.	Basic Empty Weight <i>Includes unusable fuel & full oil</i>		
2.	Front Seat Occupants <i>Pilot & Passenger (total)</i>		
3.	Rear Seat Occupant(s)		
4.	Baggage Area <i>130 lb maximum</i>		
5.	Zero Fuel Condition Weight <i>Sub total item 1 thru 4</i>		
6.	Fuel Loading <i>56 Gallon @ 6.0 lb/gal. Maximum</i>		
7.	Ramp Condition Weight <i>Sub total item 5 and 6</i>		
8.	Fuel for start, taxi, and run-up <i>Normally 9 lb at average moment of 922.8.</i>		
9.	Takeoff Condition Weight <i>Subtract item 8 from item 7</i>		

Figure 6-1

Loading Data

Use the following chart or table to determine the moment/1000 for fuel and payload items to complete the Loading Form.



Weight LB	Fwd Pass FS 143.5	Aft Pass FS 180.0	Baggage FS 208.0	Fuel FS 153.8	Weight LB	Fwd Pass FS 143.5	Aft Pass FS 180.0	Fuel FS 153.8
20	2.87	3.60	4.16	3.10	220	31.57	39.60	34.08
40	5.74	7.20	8.32	6.20	240	34.44	43.20	37.18
60	8.61	10.80	12.48	9.29	260	37.31	46.80	40.27
80	11.48	14.40	16.64	12.39	280	40.18	50.40	43.37
100	14.35	18.00	20.80	15.49	300	43.05	54.00	46.47
120	17.22	21.60	24.96	18.59	320	45.92	57.60	49.57
140	20.09	25.20	27.04*	21.69	336**	48.79	61.20	52.05
160	22.96	28.80		24.78	360	51.66	64.80	
180	25.83	32.40		27.88	380	54.53	68.40	
200	28.70	36.00		30.98	400	57.40	72.00	


*130 lb Maximum

**56 U. S. Gallons Usable

Figure 6-2

Moment Limits

Use the following chart or table to determine if the weight and moment from the completed Weight and Balance Loading Form (Figure 6-1) are within limits.



Weight LB	Moment/1000		Weight LB	Moment/1000	
	Minimum	Maximum		Minimum	Maximum
2200	304	326	2700	375	398
2250	311	333	2750	383	406
2300	318	341	2800	390	414
2350	326	348	2850	398	421
2400	333	354	2900	406	429
2450	340	362	2950	414	437
2500	347	369	3000	421	444
2550	354	375	3050	429	452
2600	362	383	3100	438	459
2650	369	390	3150	445	467

Figure 6-3

Use this form to maintain a continuous history of changes and modifications to airplane structure or equipment affecting weight and balance:

[illegible]

6-8